

SAFETY DATA SHEET



JSC "Uralelectromed"

1. IDENTIFICATION OF THE SUBSTANCE\PREPARATION AND OF THE COMPANY\UNDERTAKING

Identification of the

Selenium

substance/preparation

Commercial selenium of ST0, ST1 grades

Trade name Use of the

for manufacturing of glass, paints, enamels, for production of pure selenium, in

pharmaceutics.

substance/preparation

Version No. 01/2

Revision date 20-January-2010

SDS Number PB-00194429-006-2010

Manufacturer/Supplier JSC "Uralelectromed"

1, Lenin Str., Verkhnyaya Pyshma, 624091 Sverdlovsk region, Russia

Tel. +7 34368 47199, +7 34368 46193; fax: +7 34368 46039

Contact person: Elena Kapustina

Email: reach@ugmk.com; e.kapustina@ugmk.com

http: www.elem.ru

Emergency Emergency phone (Access code): +7 34368 47199

Only representative Halma Export & Import GmbH

Reichstratsstrasse 11/3A A-1010 Vienna Austria Contact: Dr. Bernhard Goetsch

Phone: +43 (0) 1 533 56 80 Fax: +43 (0) 1 533 56 80 30

e-mail: bernhard.goetsch@halma.co.at

HAZARDS IDENTIFICATION

This substance is classified as dangerous according to Directive 67/548/EEC

Physical hazards Not classified as a physical hazard.

Health hazards

Classified as a health hazard if inhalated or swallowed or in case of skin and eye

contact

Environmental hazards

Classified as an environment hazard if improperly stored, handled, disposed and

recycled or in the result of accident and emergency

Specific hazardsIt is moderately hazardous for human exposure. It is accumulated in animal or plant tissues. It may pollute water basins and soil. Toxic for water inhabitants and flora.

Irritation of mucous membranes of upper airways and eyes, dry coughing, running nose,

Main symptoms

Main symptoms

nose burning effect, atony, headache, unpleasant taste, breathlessness, sickness,

vomiting, garlic odour, edema, urticaria and dermatitis; lacrimation, conjunctivas.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS#	Percent	EC-No.	Classification
Selenium	7782-49-2	99.0- 99.8	231-957-4	T: R23/25
				R33
				R53

Composition comments

All concentrations are in percent by weight . For more detailed chemical composition, refer to the certificate of analysis.

*) Decoding of hazard symbols is given in Section 16.

PB-00194429-006-2010 COMMERCIAL SELENIUM

FIRST-AID MEASURES

Inhalation Move to fresh air. Ensure rest, warmth, clean clothes. Dipsotherapy. Emergency

hospitalization if required.

Skin contact Wash skin with soap and running water. Get medical attention in case of burning,

strong irritation or dermatitis.

Eye contact Flush eyes thoroughly with running water. If discomfort continues, consult a physician.

Immediately get medical assistance.

General advice Avoid hypothermia, restrict physical activity and water intake. Get medical attention.

Show this safety data sheet to the doctor in attendance.

Notes to physician Transport in horizontal position. Antishock actions.. Treat symptomatically. The effects

might be delayed.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

Depending on the main source of ignition.

Extinguishing media which

must not be used for

safety reasons

Depending on the main source of ignition.

Unusual fire & explosion

hazards

Combustible.

Specific hazards

Package can be involved into fire that may lead to the product heating. It reacts with hydrogen at temperature over 200° C, hydrogen sulfide is formed in the result thereof.

H₂S is a colourless gas with off-odour.

Special protective

equipment for fire-fighters

Use flameproof clothes and personal protection equipment (respirator, gloves, safety

shoes)

Fire fighting

equipment/instructions

Move container from fire area if it can be done without risk. Use a special-purpose

equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation. Avoid inhalation of dust and spray and contact with

skin and eyes. Wear protective clothing as described in Section 8 of this safety

data sheet.

Environmental precautions Avoid release to the environment.

Methods for cleaning up If spilled indoors, scrape up spilled material (powder of granules) into a suitable

container for recycle. Collect dust or particulates using a vacuum cleaner with a HEPA filter. Wash place of spillage with water and dry with cleaning rag. If spilled outdoors and during transportation, dike the area of spillage. Avoid dusting and never put selenium into water basins, drain, water supply sources.

Collect selenium into a suitable container for recycle.

7. HANDLING AND STORAGE

Handling Provide adequate ventilation. Use sealed equipment, storage bins and package

materials. Avoid spilling, generation and spreading of dust. Avoid inhalation of dust and contact with skin and eyes. Wear appropriate personal protective

equipment. Ensure fire extinguishants. Observe fire safety rules.

Storage Keep dry in supplier's package and away from incompatible materials. Avoid open

flame and package damage.

PB-00194429-006-2010 COMMERCIAL SELENIUM

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values United Kingdom

Components	Type	Value	Form
Selenium (7782-49-2)	STEL	-	
	TWA	0.1	

Exposure controls Use local exhaust ventilation, sealed equipment and package or other exposure

level control devices to maintain concentration in air below recommended

exposure limits.

Occupational exposure

controls

Respiratory protection

In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory

equipment with particle filter (type P2). Seek advice from local supervisor.

Wear suitable protective gloves to prevent cuts and abrasions; against fine dust use Hand protection protective hydrophobic ointment, paste and cream. Apply cleansers and personal

towels to remove ointment. Suitable gloves can be recommended by the glove supplier.

Wear dust-resistant safety goggles where there is danger of eye contact. Eye protection

Wear suitable protective clothing. Skin and body protection

Avoid direct contact with selenium. Use personal protective equipment when required. General

Select personal protective equipment according to the CEN standards; discuss

protective equipment with the supplier.

Environmental exposure

controls

Prevent releases and spillage. Observe national regulations on emissions.

Store and handle in accordance with good industrial hygiene and safety practices. Hygiene measures

Observe personal hygiene rules: take a shower after work, wash hands before lunch, do not store personal things and food within working place, do not eat at working places, do

not smoke. Routinely wash work clothing and protective equipment to remove

contaminants. Observe any medical surveillance requirements.

9. PHYSICAL NAD CHEMICAL PROPERTIES

Ingots/powder/granules **Appearance**

Solid Physical state

Truncated pyramid/ powder with particles less 1 mm/ semisphere **Form**

Colour gray Odour Odourless Odour threshold Not applicable pН Not applicable **Boiling point** 684.8° C- 688° C **Dehydration point** Not applicable

Flash point Not available **Flammability** Not available Vapour pressure Not available

4.79 g/cm³ –crystalline; 4.28 g/cm³- non-crystalline **Apparent density**

Specific area of particles Not available **Electrical resistivity** Not available Solubility (water) Insoluble Partition coefficient (n-Not available

octano/water

Viscosity Not available Vapour density Not available **Evaporation rate** Not available 217°C **Melting point** Freezing point Not available **Auto-ignition** Not available temperature

VOC Not available **Bulk density** Not available Percent volatile Not available

PB-00194429-006-2010 COMMERCIAL SELENIUM

10. STABILITY AND REACTIVITY

Conditions to avoid Contact with incompatible materials.

Hazardous

decomposition products

Not available

Stability Selenium is stable under normal conditions of use, storage and transportation.

Inorganic acids (nitric, sulfur). Oxidizers. Halogens. Alkalis.

matorialo to a rola

Hazardous polymerisation

Not applicable

11. TOXICOLOGICAL INFORMATION

Acute toxicity Inhalation of dust may cause acute and chronic poisoning with various clinical

symptoms.

Routes of exposure Inhalation. Skin contact. Eye contact. Ingestion.

Chronic toxicity Prolonged inhalation may cause collapse.

Sensitization Sensitizing. Percutaneous action is not stated.

Carcinogenicity Data on carcinogenicity are conflicting.

Mutagenicity Data on mutagenicity are conflicting.

Reproductivity Reproductive hazard.

EpidemiologyBased on epidemiological studies, it is polytropic and mainly exposes on liver, kidneys

and the central nervous system. It may accumulate in organism. It is classified as thiolic

poison.

Local effects May cause irritation on skin, upper respiratory tract and eye mucous membrane.

Further information Moderately hazardous (toxic) substance. Irritating.

12. ECOLOGICAL INFORMATION

EcotoxicitySelenium may pollute soil and water as well as atmosphere. It is cumulated by soil and

plants, flora and fauna hazard.

Ecotoxicity effectsToxic concentration:

 LC_{50} (for fish) 0.25 mg\l $\leq LC_{50} \leq 12$ mg/l;

96 hr EC_{50} (for Daphnia) ≤ 1 mg\l.

Environmental effects An environmental hazard cannot be excluded in the event of unprofessional handling or

disposal.

Persistence degradability

and

The product is not degradable if stored correctly.

Bioaccumulation The product is bioaccumulating.

sanitary regime of water basins. Toxic for fish and lower water organisms.

Selenium is not altered in the environment. It is highly stable within abiotic environment.

Mobility

13. DISPOSAL CONSIDERATIONS

PB-00194429-006-2010 COMMERCIAL SELENIUM

Disposal instructions Dispose in accordance with applicable regulations. EWC code 06 04 05.

14. TRANSPORT INFORMATION

ADR UN reference number is not available

IATA

Not regulated as dangerous goods.

IMDG

Goods are not classified as dangerous.

SMGS(Agreement on
International Goods

International Goods Transport by Rail Road)

15. REGULATORY INFORMATION

Labeling Pictograms: "skull and crossbones"; "health hazard"

Т

R: 23/25-33-53 S: 20/21-28-45-61 Signal word: "Dangerous"

Contains

Commercial selenium of ST0, ST1 grades (ingots, powders, granules)

EC Number 231-957-4

The product shall be labeled in accordance with Directive 67/548 EEC.

Regulatory information This Safety Data Sheet complies with the requirements of Regulation (EC) №

1907/2006.

OTHER INFORMATION

Disclaimer This Safety Data Sheet is specifically designed to comply with the requirements of the

EU Regulation called REACH – Registration, Evaluation and Authorization of Chemicals (EC № 1907/2006 of the European Parliament and of the Council of 18 December 2006) and the corresponding country law, and may not comply with the

requirements of any other regulations for safe product handling.

Risk and safety codes T-

and phrases

T- toxic

R: 23/25-33-53 - toxic by inhalation, toxic if swallowed, danger of cumulative effects,

may cause long-term adverse effects in the aquatic environment.

S: 20/21-28-45-61 – when using do not eat or drink; when using do not smoke; after contact with skin wash immediately with plenty of water and use soap; in case of accident or if you feel unwell seek medical advice immediately (show the label where possible); avoid release to the environment. Refer to special instructions (Safety Data

Sheet).

Issue date 22-January-2010

PB-00194429-006-2010 COMMERCIAL SELENIUM